

ALICE CREIGHTON



Species	Japonica
Color	Rose pink petals bordered white at the edges
Form	Formal double
Size	Medium
Bloom Season	E-L
Growth Rate	Average
Growth Characteristics	Spreading, open growth
Originator	Walter Creighton
Place of Origination	U.S. - Semmes, Alabama
Year of Registration / Origination	2008 - ACS Registration #2744
Heritage	Seedling of Japonica 'Tama Glitters'
Photographer	Hunter Charbonnet
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Alice Creighton

AVERY ISLAND



Species	Japonica
Color	Dark red blotched white
Form	Semidouble with loose irregular petals interspersed with stamens
Size	Very large
Bloom Season	M-L
Growth Rate	Vigorous
Growth Characteristics	Compact, upright growth
Originator	Flowerwood Nurseries
Place of Origination	U.S. - Mobile, Alabama
Year of Registration / Origination	1951
Heritage	Sport of Japonica 'Mathotiana'
Other Information	Formal name - 'Mathotiana Supreme Variegated'
Photographer	Randolph Maphis
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Avery Island Variegated

Bart Colbert Variegated



Species	Japonica
Color	Deep pink blotched white with yellow stamens and light yellow filaments
Form	Semidouble
Size	Large
Bloom Season	M
Growth Rate	Average
Growth Characteristics	Upright growth
Originator	Ralph E. May
Place of Origination	U.S. - Savannah, Georgia
Year of Registration / Origination	1978 - ACS Registration #1503
Heritage	Virus variegated form of Japonica 'Bart Colbert'
Photographer	Hunter Charbonnet
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Bart%20Colbert%20Variegated

Bob Hope



Species	Japonica
Color	Black red with bright yellow anthers and pinkish filaments
Form	Semidouble with irregular petals
Size	Large
Bloom Season	M
Growth Rate	Slow
Growth Characteristics	Compact growth
Leaf Characteristics	Dark green
Originator	Nuccio's Nurseries
Place of Origination	U.S. - Altadena, California
Year of Registration / Origination	1979 - ACS Registration #1522 - first bloomed in 1969
Heritage	Chance seedling
Photographer	Tommy Alden
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Bob%20Hope

BROTHER ROSE VARIEGATED




Species	Japonica
Color	Orchid pink blotched white
Form	Rose form double
Size	Large
Bloom Season	M
Growth Rate	Average
Growth Characteristics	Compact, upright growth
Leaf Characteristics	Mid-green
Heritage	Virus variegated form of Japonica 'Brother Rose'
Photographer	Tommy Weeks
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Brother%20Rose%20Variegated

Cherries Jubilee



Species	Japonica
Color	Burgundy red with red and white petaloids intermingled with stamens
Form	Semidouble to rose form double
Size	Medium
Bloom Season	M
Growth Rate	Average
Growth Characteristics	Compact, upright growth
Leaf Characteristics	Dark green
Originator	Nuccio's Nurseries
Place of Origination	U.S. - Altadena, California,
Year of Registration / Origination	1984 - ACS Registration #1950 - first bloomed in 1982
Photographer	John Swanson
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Cherries Jubilee

Cinnamon Scentsation



Species	Non-reticulata hybrid
Color	Rose pink to white with yellow anthers and creamy white filaments
Form	Single
Size	Small
Bloom Season	M-L
Growth Rate	Average
Growth Characteristics	Open, spreading growth
Originator	William L. Ackerman
Place of Origination	U.S. - Ashton, Maryland
Year of Registration / Origination	1995 - ACS Registration #2362 - first bloomed in 1982
Heritage	Sport of Non-reticulata hybrid 'Cinnamon Cindy'
Other Information	Highly fragrant
Photographer	Gene Phillips
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Cinnamon Scentsation

DAWN LYNN



Species	Japonica
Color	Deep pink with gold anthers and yellow filaments
Form	Anemone form
Size	Medium
Bloom Season	M-L
Growth Rate	Average
Growth Characteristics	Upright, dense growth
Leaf Characteristics	Dark
Originator	C. M. & Lillian Gordy
Place of Origination	U.S. - Ocala, Florida
Year of Registration / Origination	2008 - ACS Registration #2730 - first bloomed in 1994
Heritage	Chance seedling
Other Information	Originally Gordy #30
Photographer	Gene Phillips
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Dawn Lynn

Debutante



Species	Japonica
Color	Light pink
Form	Full peony form
Size	Medium
Bloom Season	E-M
Growth Rate	Vigorous
Growth Characteristics	Upright growth
Leaf Characteristics	Light green
Originator	Magnolia Plantation & Gardens
Place of Origination	U.S. - Charleston, South Carolina
Year of Registration / Origination	Early 1900's
Other Information	Previously called 'Sara C. Hastie'
Photographer	Bradford King

Dr. Richard Hardison Variegated



Species	Japonica
Color	Turkey red variegated white with golden anthers and white filaments
Form	Semidouble
Size	Very large
Bloom Season	E-M
Growth Rate	Vigorous
Growth Characteristics	Spreading growth
Leaf Characteristics	Dark green
Originator	Randolph Maphis
Place of Origination	U.S. - Tallahassee, Florida
Heritage	Virus variegated form of Japonica 'Dr. Richard Hardison'
Photographer	Mark Crawford - Loch Laurel Nursery
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Dr. Richard Hardison Variegated

DR. TINSLEY



CAMELLIA Japonica
'Dr Tinsley'

Species	Japonica
Color	Very pale pink at base shading to deeper pink at edge with reverse side flesh pink with yellow anthers and white filaments
Form	Semidouble
Size	Medium
Bloom Season	M
Growth Characteristics	Compact, upright growth
Originator	Mrs. G. J. Tinsley
Place of Origination	U.S. - Hammond, Louisiana
Year of Registration / Origination	1949 - ACS Registration #39
Heritage	Thought to have come from McIlhenny's Jungle Gardens
Photographer	Bradford King
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Dr.Tinsley

FASHIONATA



Species	Japonica
Color	Apricot pink
Form	Semidouble with curled and crepe outer petals and occasional clusters of petaloids
Size	Large
Bloom Season	M
Growth Rate	Vigorous
Growth Characteristics	Open, upright growth
Leaf Characteristics	Dark green
Originator	Fred Everette
Place of Origination	U.S. - Mobile, Alabama
Year of Registration / Origination	1964 - ACS Registration #790 - first bloomed in 1960
Heritage	Reported to be sport of Japonica 'Faith'
Photographer	Bradford King
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Fashionata

Ferris Wheel



Species	Japonica
Color	White with multiple red and pink streaks in various lengths throughout the flower with yellow anthers and white filaments. At times there may be pink shading on the petals
Form	Semidouble to loose peony with an occasional anemone flower
Size	Large to very large
Bloom Season	E-M
Growth Rate	Average
Growth Characteristics	Upright growth
Originator	Nuccio's Nurseries
Place of Origination	U.S. - Altadena, California
Year of Registration / Origination	2006
Photographer	Mark Crawford - Loch Laurel Nursery
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Ferris%20Wheel

GEORGIA FIRE



Species	Japonica
Color	Dark red with yellow anthers and yellow filaments
Form	Rose form double
Size	Medium
Bloom Season	M-L
Growth Rate	Vigorous
Growth Characteristics	Upright growth
Leaf Characteristics	Dark green
Originator	E. Hulyn Smith
Place of Origination	U.S. - Valdosta, Georgia
Year of Registration / Origination	2009 - ACS Registration #2779 - first bloomed in 2000
Heritage	Seedling of Japonica 'Edna Campbell'
Photographer	John Swanson
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Georgia%20Fire

Governor Mouton



Species	Japonica
Color	Oriental red, sometimes splotched white
Form	Semidouble to loose peony form
Size	Medium
Bloom Season	M
Growth Rate	Vigorous
Growth Characteristics	Upright growth
Leaf Characteristics	Dark green, twisted
Place of Origination	U.S. - Louisiana
Year of Registration / Origination	Early 1900's
Heritage	Original plant grew in the old home of Governor Mouton, Lafayette, Louisiana
Photographer	Gene Phillips
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Governor Mouton

GRACE ALBRITTON



Species	Japonica
Color	Light pink deeper at edge to white with pink center and border
Form	Formal double
Size	Miniature to small
Bloom Season	M
Growth Rate	Average
Growth Characteristics	Upright growth
Leaf Characteristics	Dark green
Originator	A. D. Albritton
Place of Origination	U.S. - Tallahassee, Florida
Year of Registration / Origination	1971 - ACS Registration #1197 - first bloomed in 1967
Heritage	Chance seedling
Photographer	Bob Black
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Grace Albritton

GRAND SLAM



Species	Japonica
Color	Brilliant dark red
Form	Semidouble to anemone form
Size	Large to very large
Bloom Season	M
Growth Rate	Vigorous
Growth Characteristics	Open, upright growth
Leaf Characteristics	deep green
Originator	Nuccio's Nurseries
Place of Origination	U.S. - Altadena, California
Year of Registration / Origination	1963 - ACS Registration #694 - first bloomed in 1957
Heritage	Unknown
Photographer	Gene Phillips
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Grand Slam

Guest Star



Species	Japonica
Color	Pink shading to white
Form	Formal double
Size	Medium
Bloom Season	M-L
Growth Rate	Average
Growth Characteristics	Compact growth
Leaf Characteristics	Dark green
Originator	J. R. Moore
Place of Origination	U.S. - Hampton, Virginia
Year of Registration / Origination	1974 - ACS Registration #1343 - first bloomed in 1970
Heritage	Chance seedling
Photographer	Harold Klick
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Guest Star

Hanajiman (Flower to Boast Of)



Species	Sasanqua
Color	White with contrasting pink edge
Form	Single
Size	Medium
Bloom Season	Fall
Growth Rate	Vigorous
Growth Characteristics	Upright growth
Leaf Characteristics	Dark green
Originator	Sôjiro Saitô, raised at Minagawa Chinka'en Nursery
Place of Origination	Japan - Saitama Prefecture
Year of Registration / Origination	1905
Heritage	Seedling of Sasanqua 'Eikyû-shibori'
Photographer	Gene Phillips

HAPPY BIRTHDAY



Species	Japonica
Color	Light pink striped deeper pink with yellow anthers and white filaments
Form	Peony form - petals are fluted and ruffled
Size	Large
Bloom Season	E-M
Growth Rate	Vigorous
Growth Characteristics	Upright growth
Leaf Characteristics	Mid-green
Originator	L. G. MacDowell
Place of Origination	U.S. - Lakeland, Florida
Year of Registration / Origination	1979 - ACS Registration #1562 - first bloomed in 1973
Photographer	Randolph Maphis
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Happy Birthday

Harriet Bisbee



Species	Japonica
Color	Blush pink
Form	Formal double with incurved petals - petals curve up like a water lily
Size	Medium
Bloom Season	E-M
Growth Rate	Vigorous
Growth Characteristics	Open, upright growth
Leaf Characteristics	Light green
Originator	Frank D. Bisbee
Place of Origination	U.S. - Jacksonville, Florida
Year of Registration / Origination	1966 - ACS Registration #948 - first bloomed in 1962
Heritage	Chance seedling
Photographer	Randolph Maphis
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Harriet Bisbee
Join now!	

HELEN BEACH



Species	Japonica
Color	Pink with rose red splotches variegated white (Moired) with yellow anthers and white filaments
Form	Loose peony to rose form double
Size	Medium
Bloom Season	M
Growth Rate	Average
Growth Characteristics	Open growth
Originator	Miles & Brenda Beach
Place of Origination	U.S. - Mt. Pleasant, South Carolina
Year of Registration / Origination	2004 - ACS Registration #2625 - first bloomed in 1998
Heritage	Sport of Japonica 'Mary Edna Curlee'
Photographer	Randolph Maphis
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Helen Beach

Herme



Species	Japonica
Color	Pink petals with irregular white border and streaked deep pink
Form	Semidouble
Size	Medium
Bloom Season	M
Growth Rate	Vigorous
Growth Characteristics	Upright growth
Originator	Japan to the United States
Place of Origination	U.S. - Sacramento, California
Year of Registration / Origination	1875
Other Information	Called 'Hikarugenji' in Japanese
Photographer	Michael Ossen
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Herme

KRAMER'S SUPREME



Species	Japonica
Color	Turkey red
Form	Full peony form
Size	Large to very large
Bloom Season	M
Growth Rate	Vigorous
Growth Characteristics	Compact, upright growth
Originator	August Kramer of Kramer Brothers Nurseries
Place of Origination	U.S. - Upland, California
Year of Registration / Origination	1983 - ACS Registration #1877 - first bloomed in 1957
Heritage	Chance seedling
Other Information	Fragrant
Photographer	Randolph Maphis
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Kramer's Supreme

Laura Walker




Species	Japonica
Color	Bright red
Form	Semidouble to anemone form
Size	Large
Bloom Season	E-M
Growth Rate	Vigorous
Growth Characteristics	Compact, upright growth
Originator	Mrs. J. C. Walker, Sr.
Place of Origination	U.S. - Marshallville, Georgia
Year of Registration / Origination	1956 - ACS Registration #274 - first bloomed in 1953
Heritage	Chance seedling
Photographer	Tommy Alden
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Laura%20Walker
Species	Japonica

LAVERNE NORRIS



Species	Japonica
Color	Pink variegated white with yellow anthers and white filaments
Form	Semidouble
Size	Large
Bloom Season	M-L
Growth Rate	Average
Growth Characteristics	Dense, spreading, upright growth
Leaf Characteristics	Dark green, fimbriated
Originator	Marvin Jernigan
Place of Origination	U.S. - Warner Robins, Georgia
Year of Registration / Origination	1998 - ACS Registration #2447
Heritage	Virus variegated form of Japonica 'LaVerne Norris'
Other Information	'Nina Avery' seedling
Photographer	Randolph Maphis
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=LaVerne+Norris

LITTLE BABE VARIGATED



Species:	Japonica
Color:	Dark red blotched white with golden anthers and pink filaments
Form:	Rose form double to formal double
Size:	Small
Bloom Season:	E-L
Growth Rate:	Vigorous
Growth Characteristics:	Compact growth
Leaf Characteristics:	Dark green
Place of Origination:	U.S.
Year of Origination / Registration:	1983
Heritage:	Red and White blotched variation of Japonica 'Little Babe'
Photographer:	Konrad Hooper
ICR Link:	https://camellia.iflora.cn/Cutivars/Detail?latin=Little+Babe+Variegated

LUKE HILL



Species	Japonica
Color	White
Form	Formal double
Size	Medium
Bloom Season	M-L
Growth Rate	Average
Growth Characteristics	Upright, dense growth
Leaf Characteristics	Medium green
Originator	C. M. & Lillian Gordy
Place of Origination	U.S. - Ocala, Florida
Year of Registration / Origination	2016 - ACS Registration #2981 - first bloomed in 2008
Heritage	Chance seedling
Other Information	Originally Gordy #988
Photographer	Randolph Maphis
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Luke Hill

MAGIC CITY



Species	Japonica
Color	Fire red variegated white with yellow anthers and white filaments
Form	Peony form
Size	Medium
Bloom Season	M
Growth Rate	Vigorous
Growth Characteristics	Open, upright growth
Originator	Robert T. Cale
Place of Origination	U.S. - Hueytown, Alabama
Year of Registration / Origination	1965 - ACS Registration #902 - first bloomed in 1961
Heritage	Chance seedling
Photographer	Konrad Hooper
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Magic City

MAGNOLIAEFLORA



Species	Japonica
Color	Blush pink
Form	Semidouble - hose-in-hose - with petals curved gradually outwards and a slender stamen column
Size	Medium
Bloom Season	M
Growth Rate	Average
Growth Characteristics	Compact growth
Place of Origination	Japan to Italy
Year of Registration / Origination	1886
Other Information	Alternate name: 'Hagoromo'
Photographer	Harold Klick
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Magnoliaeflora

MAN SIZE



Species	Japonica
Color	White with yellow stamens
Form	Anemone form
Size	Miniature to small
Bloom Season	M
Growth Rate	Average
Growth Characteristics	Open, upright growth
Leaf Characteristics	Mid-green
Originator	W. R Wilson, Jr.
Place of Origination	U.S. - Hammond, Louisiana
Year of Registration / Origination	1961 - ACS Registration #581 - first bloomed in 1957
Heritage	Seedling of Japonica 'Magnoliaeflora'
Photographer	Harold Klick
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Man Size

Marie Bracey



Species	Japonica
Color	Coral rose
Form	Semidouble to peony
Size	Large
Bloom Season	Early to Mid
Growth Rate	Average
Growth Characteristics	Compact, upright growth
Heritage	Chance seedling; sport of Marie Bracey Variegated
Other Information	Mrs. H. Turner Brice, Valdosta, Georgia

MRS BALDWIN WOOD SUPREME



CAMELLIA Japonica 'Mrs Baldwin Supreme'


Species	Japonica
Color	White striped phlox pink
Form	Semidouble with irregular petals to rose form double
Size	Medium
Bloom Season	M
Growth Rate	Average
Growth Characteristics	Spreading growth
Leaf Characteristics	Dark green
Originator	J. S. Bradford, Bradford's Wayside Nurseries
Place of Origination	U.S. - Ocean Springs, Mississippi
Year of Registration / Origination	1950 - ACS Registration #78 - first bloomed in 1939
Heritage	Chance seedling
Photographer	Gene Phillips
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Mrs.%20Baldwin%20Wood

NINA AVERY



Species	Japonica
Color	White washed rose pink with white stamens tipped light brown
Form	semidouble to loose peony form with crinkled, erect center petals
Size	Medium
Bloom Season	M
Growth Rate	Vigorous
Growth Characteristics	Compact, upright growth
Leaf Characteristics	Mid-green
Originator	Jungle Gardens
Place of Origination	U.S. - Avery Island, Louisiana
Year of Registration / Origination	1949 - first bloomed in 1947
Photographer	Gene Phillips
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Nina Avery

OMEGA



Species	Japonica
Color	Blush white edged coral
Form	Semidouble
Size	Large
Bloom Season	M
Growth Rate	Vigorous
Growth Characteristics	Upright growth
Originator	Walter F. Wilson, Jr.
Place of Origination	U.S. - Hammond, Louisiana
Year of Registration / Origination	1965
Photographer	Gene Phillips
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Omega

Our Linda




Species	Sasanqua
Color	Pink with yellow anthers and white filaments
Form	Rose form double
Size	Medium
Bloom Season	Fall
Growth Rate	Medium
Growth Characteristics	Upright, dense growth
Leaf Characteristics	Dark green
Originator	Lester O. Wood
Place of Origination	U.S. - Virginia Beach, Virginia
Year of Registration / Origination	1979 - ACS Registration #1534 - first bloomed in 1971
Heritage	Chance seedling
Photographer	Gene Phillips
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Our+Linda

Polaris



Species	Non-reticulata hybrid - C.x williamsii
Color	Radiant pink with yellow anthers and light pink filaments
Form	Semidouble to peony open type flower, has 32 petals most of which are separated from each other and are very narrow and long scalloped at ends
Size	Large
Bloom Season	M
Growth Rate	Vigorous
Growth Characteristics	Upright, spreading growth
Leaf Characteristics	Dark green
Originator	J. L. Sparkman
Place of Origination	U.S. - Jacksonville, Florida
Year of Registration / Origination	1964 - ACS Registration #804
Heritage	Japonica 'Hishi-karaito' x Non-reticulata hybrid 'J. C. Williams'
Photographer	Gene Phillips
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Polaris

Pristine



Species	Reticulata hybrid
Color	White with pale yellow to pale gold anthers and white to very pale-yellow filaments
Form	Semidouble
Size	Large
Bloom Season	E-M
Growth Rate	Average
Growth Characteristics	Upright, open growth
Leaf Characteristics	Medium green
Originator	Grant Montana
Place of Origination	U.S. - Midway, Georgia
Year of Registration / Origination	2021 - ACS Registration #3293 - first bloomed in 2016
Heritage	Seedling of Reticulata hybrid 'Frank Houser'
Photographer	Grant Montana
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Pristine

Professor Charles S. Sargent



Species	Japonica
Color	Dark red
Form	Full peony to anemone form
Size	Medium
Bloom Season	M
Growth Rate	Vigorous
Growth Characteristics	Compact, upright growth
Heritage	Perhaps Germany (Seidel Nursery) to Fruitland Nursery to Magnolia
Other Information	Named by the Rev. John G. Drayton for Professor Charles Sprague Sargent, then Director of
Photographer	Gene Phillips
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Professor%20Charles%20Sargent

REBEL YELL



Species	Japonica
Color	White striped, speckled and moired red
Form	Semidouble to peony form with twisted, curled and crepe petals
Size	Large
Bloom Season	M
Growth Rate	Average
Growth Characteristics	Upright growth
Leaf Characteristics	Dark green
Originator	Wheeler's Central Georgia Nurseries
Place of Origination	U.S. - Macon, Georgia
Year of Registration / Origination	1960 - ACS Registration #534 - first bloomed in 1953
Heritage	Chance seedling
Photographer	Randolph Maphis
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Rebel Yell

Royal Velvet



Species	Japonica
Color	Dark velvet red
Form	Semidouble
Size	Large
Bloom Season	M
Growth Rate	Vigorous
Growth Characteristics	Compact, upright growth
Leaf Characteristics	Dark green
Originator	Nuccio's Nurseries
Place of Origination	U.S. - Altadena, California
Year of Registration / Origination	1989 - ACS Registration #2126 - first bloomed in 1983
Photographer	Konrad Hooper
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Royal Velvet

Sea Foam



Sea Foam

Species	Japonica
Color	White
Form	Formal double
Size	Medium to Large
Bloom Season	L
Growth Rate	Vigorous
Growth Characteristics	Upright growth
Originator	John T. Weisner
Place of Origination	U.S. - Fernandina Beach, Florida
Year of Registration / Origination	1959
Photographer	Randolph Maphis
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Sea%20Foam

SHARON SHUMAN



Species	Japonica
Color	Pale pink
Form	Formal double with 72 petals, and 8 small petals in the bud center
Size	Medium
Bloom Season	M-L
Growth Rate	Average
Growth Characteristics	Open growth
Leaf Characteristics	Dark green
Originator	Johnny Aldrich
Place of Origination	U.S. - Brooklet, Georgia
Year of Registration / Origination	2002 - ACS Registration #2585 - first bloomed in 1980
Heritage	Chance seedling
Photographer	Gene Phillips
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Sharon Shuman

Sweet Mary



Species	Japonica
Color	Blush pink center petals darkening to shell pink on the outer petals.
Form	Formal double having a swirled pattern about 40% of the time
Size	Medium
Bloom Season	E
Growth Rate	Average
Growth Characteristics	Upright, dense growth
Leaf Characteristics	Dark green
Originator	Mickey Moore
Place of Origination	U.S. - Americus, Georgia
Year of Registration / Origination	2019 - ACS Registration #3104 - first bloomed in 2014
Heritage	Chance seedling
Photographer	American Camellia Society
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Sweet%20Mary

TAMA VINO



Species	Japonica
Color	Wine red washing to broad white border with golden anthers and whitish filaments
Form	Semidouble with long, narrow petals
Size	Small to medium
Bloom Season	E-M
Growth Rate	Average
Growth Characteristics	Upright growth
Originator	Nuccio's Nurseries
Place of Origination	U.S. - Altadena, California
Year of Registration / Origination	1993
Heritage	Seedling of Japonica 'Tama-no-ura'
Photographer	Gene Phillips
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Tama Vino

TAMA-NO-URA



Species	Japonica
Color	Red bordered white with golden anthers and white filaments
Form	Single
Size	Small to medium
Bloom Season	M
Growth Rate	Vigorous
Growth Characteristics	Upright growth
Leaf Characteristics	Dark green
Originator	Tomokazu Fujita
Place of Origination	Japan - Tama-no-ura, Fuku'e Island, Gotô Archipelago, Nagasaki Prefecture
Year of Registration / Origination	1947
Heritage	Discovered in wild
Photographer	Gene Phillips
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Tama-no-Ura

Terry Gilley Variegated



Species	Japonica
Color	Brilliant red blotched white with yellow anthers and cream filaments
Form	Semidouble with wavy, crinkled petals
Size	Large
Bloom Season	E-M
Growth Rate	Vigorous
Growth Characteristics	Upright growth
Originator	Ray Gentry
Place of Origination	U.S. - Jackson, Mississippi
Year of Registration / Origination	1977
Heritage	Virus variegated form of Japonica 'Terry Gilley'
Photographer	Tommy Weeks
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Terry Gilley Variegated

TRICOLOR SUPERBA



Species	Japonica
Color	Variable colors from nearly white to solid red, but majority white striped red or light pink margined white with golden anthers and white filaments
Form	Semidouble
Size	Large
Originator	K. Sawada, Overlook Nurseries
Place of Origination	U.S. - Crichton, Alabama
Year of Registration / Origination	1944
Heritage	Seedling of Japonica 'Tricolor'
Photographer	Tommy Weeks
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Tricolor+Superba

Tudor Baby



Species	Japonica
Color	Dark red with petals edged black
Form	Formal double
Size	Small
Bloom Season	M
Growth Rate	Vigorous
Growth Characteristics	Upright growth
Leaf Characteristics	Light green
Originator	E. Hulyn Smith
Place of Origination	U.S. - Valdosta, Georgia
Year of Registration / Origination	2001 - ACS Registration #2549 - first bloomed in 1997
Heritage	Chance seedling
Photographer	Randolph Maphis
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=Tudor Baby

WILLIAM FORREST BRAY VARIEGATED



Species	Japonica
Color	Dark red blotched white
Form	Formal double
Size	Large
Bloom Season	M-L
Growth Rate	Vigorous
Growth Characteristics	Compact growth
Leaf Characteristics	Dark green
Originator	W. F. Bray
Place of Origination	U.S. - Pensacola, Florida
Year of Registration / Origination	1966
Heritage	Virus variegated form of Japonica 'William Forrest Bray'
Photographer	Hunter Charbonnet
ICR Link	https://camellia.iflora.cn/Cutivars/Detail?latin=William%20Forrest%20Bray%20Variegated